EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2209	712/209,227,248.ccls. 703/26.ccls. 717/136-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:19
L2	22	1 and (software with interpret$3) and (hardware with interpret$3) and (non$1native)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:35
L3	7	(java and (hardware adj (translator interpreter))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:36
L4	9	((software adj (interpreter translator)) and (hardware adj (translator interpreter))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:38
L5	4	("6091897" "5937193").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:40
L6	26	1 and (non$1native with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:41
L7	15	1 and (non$1native near2 processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:45
L8	0	1 and (hardware with interpreter with sub$1set with instructions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:45

EAST Search History

L9	0	1 and (hardware with interpreter with sub$1set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:45
L10	11	1 and (interpreter with sub$1set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:13
L11	3	fixed with instruction with binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:14
L12	274	fixed same instruction same 'binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:14
L13	274	fixed same instruction same binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:14
L14	0	13 and (programmable same instruction same binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:14
L15	11	hardware adj interpreter	US-PGPUB	OR	ON	2006/03/15 15:14
L16	11	15 and software with interpret$5	US-PGPUB	OR	ON	2006/03/15 15:15
S1	1344	arm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:42
S2	11	S1 and hardware and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:14

S3	201	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:14
S4	9	S3 and (hardware near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:28
S5	300	(Java with interpreter) and mapping and hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:28
S6	151	S5 and native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:29
S7	89	S6 and fixed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 14:29
S8	4	S6 and fixed near mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:36

S10	76	US-3889243-$.DID. OR US-4236204-$.DID. OR US-4587632-$.DID. OR US-4969091-$.DID. OR US-4922414-$.DID. OR US-5136696-$.DID. OR US-5455775-$.DID. OR US-5619665-$.DID. OR US-5638525-$.DID. OR US-5659703-$.DID. OR US-5740461-$.DID. OR US-5742802-$.DID. OR US-5752035-$.DID. OR US-5784584-$.DID. OR US-5809336-$.DID. OR US-5838948-$.DID. OR US-5875336-$.DID. OR US-5892966-$.DID. OR US-5925123-$.DID. OR US-5926832-$.DID. OR US-5937193-$.DID. OR US-5953741-$.DID. OR US-6003126-$.DID. OR US-6009499-$.DID. OR US-6009509-$.DID. OR US-6014723-$.DID. OR US-6021469-$.DID. OR US-6026485-$.DID. OR US-6031992-$.DID. OR US-6038643-$.DID. OR US-6070173-$.DID. OR US-6088786-$.DID. OR US-6122638-$.DID. OR US-6125439-$.DID. OR US-6148391-$.DID. OR US-6298434-$.DID. OR US-6317872-$.DID. OR US-6338134-$.DID. OR US-6349377-$.DID. OR US-6374286-$.DID. OR US-6606743-$.DID. OR US-5937193-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:17
S11	1	(software with hardware with interpreter) and (byte$1code OR (byte adj code)) and JIT and (mapping with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:39
S12	0	(software with hardware with interpreter) and (mapping with memory with fixed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:39

EAST Search History

S13	14	(software with hardware with interpreter) and (mapping with fixed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 19:53
S14	15	(software with hardware with interpreter) and (mapping with instruction with (group OR set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11
S15	22	(hardware same interpreter same (fixed OR set OR pre$1defined) same instructions same map$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:27
S16	0	(mixed with software with hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:56
S17	0	(mixed same software same (hardware with interpreter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:56
S18	319	software with (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S19	14265	S18 (instruction with execut$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S20	138	S18 and (instruction with execut$3 with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S21	5	S20 and (hardware with (map$4 OR corresponding) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:02
S22	0	(hardware with (map$4 OR corresponding) with instruction) and (JIT) and (native with instruction with found)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03

EAST Search History

S23	0	(hardware with (map$4 OR corresponding) with instruction) and (JIT) and (native with instruction with (found OR present OR available))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03
S24	2	(hardware with (map$4 OR corresponding) with instruction) and (native with instruction with (found OR present OR available))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:03
S25	0	(native with instruction with (found OR present OR available)) same software same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:04
S26	2	(hardware with instruction with (found OR present OR available)) same software same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:05
S27	2	"6502237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:07
S28	23	(instruction with check$3 with native with instruction) same interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:09
S29	0	S28 and (hardware near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:09
S30	22	S28 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:12
S31	15	("256" with bytecode) and (hardware with interpreter) and (software with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:12
S32	8	("3735363" | "4443865" | "4633390" | "4754393" | "4785393" | "6009261").PN. OR ("6298434").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 13:00

S33	75	("4245302" | "4325118" | "4403284" | "4633390" | "4638423" | "4719565" | "5077657" | "5115500" | "5430862" | "5459872" | "5493672" | "5546562" | "5551013" | "5572710" | "5574927" | "5600579" | "5619666" | "5630066" | "5638525" | "5925123" | "6021273" | "6021469" | "6078322" | "6151618").PN. OR ("5838948" | "5925123" | "6292883").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 14:58
S34	15	S33 and bytecode and table	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 14:30
S35	2	(hardware with software with interpreter).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:02
S36	22	(hardware adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:06
S37	21	(hardware with interpreter with map$4)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:07
S38	5	(hardware with interpreter with (map$4 OR corresponding) with instruction)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:08
S39	6	("4524416" | "5584026" | "5953736" | "6108768" | "6332215" | "5925123").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:31
S40	2	S39 and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:31

S41	59	("4587612" | "4631663" | "4763255" | "4783738" | "4860191" | "4961141" | "5077657" | "5113522" | "5136696" | "5142681" | "5163139" | "5193180" | "5201056" | "5218711" | "5241636" | "5313614" | "5333296" | "5335344" | "5355460" | "5430862" | "5481684" | "5490256" | "5535329" | "5542059" | "5574927" | "5577233" | "5619666" | "5634118" | "5650948" | "5659703" | "5692170" | "5761477" | "5764908" | "5768593" | "5774868" | "5778178" | "5781750" | "5784584" | "5794068" | "5809336" | "5838165" | "5875336" | "5889996" | "5898850" | "5898885" | "5903761" | "5923892" | "5937193" | "5953741" | "5983334" | "5999731" | "6021469" | "6026485" | "6131144" | "6158048" | "6167488" | "6209077").PN. OR ("6332215").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:39
S42	5	bytecode with native with (mapping OR correspond$3) with instruction	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:49
S43	11	("4724521" | "5162986" | "6044218" | "6121593" | "6139177" | "6170015" | "6199136" | "6282698" | "6282714" | "6289506").PN. OR ("6539433"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:48
S44	104	(instruction with map$4) and (hardware with (interpret$3 OR convert$3 OR accelerat$3)) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:51
S45	24	S44 and table and bytecode	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:51
S46	158	(native with (non$1native) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11
S47	84	S46 and register and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:11

EAST Search History

S48	54	S47 and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:12
S49	35	S47 and interpreter with hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:15
S50	2	"5925123".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:15
S51	4	("6535903" | "6502237").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:18
S52	4	(java same hardware same acceleration) and (register same mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:18
S53	5	(java same hardware same acceleration) and (register and mapping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
S54	488	712/209.ccls. OR 717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
S55	50	S54 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:19
S56	24	S46 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:27
S57	23	("5619665").URPN.	USPAT	OR	ON	2004/12/03 16:45

S58	13	(US-20020129225-$ or US-20010010072-$).did. or (US-5838948-$ or US-5925123-$ or US-6298434-$ or US-6292883-$ or US-6021469-$ or US-6332215-$ or US-6539433-$ or US-4724521-$ or US-5842017-$ or US-6820252-$ or US-6711667-$).did.	US-PGPUB; USPAT	OR	ON	2004/12/03 17:11
S59	0	S58 and corresponding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:11
S60	0	S54 and (corresponding with native with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:13
S61	0	S54 and (corresponding with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:13
S62	49	(corresponding with native with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:14
S63	1	(corresponding with native with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:14
S64	35	(instruction with mapping with native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:32
S65	147	(different with bytecodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:32
S66	25	S65 and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:51

S67	41	(translation with table) and mapping and (hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:52
S68	1	"invalid entry trap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 18:58
S69	4	S58 and trap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 18:58
S70	1	(trap with un$1supported with instruction) and interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
S71	1	(trap with un$1supported with translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
S72	30	(trap with un$1supported)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 19:00
S73	2	"5937193".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:21
S74	2	"6279079".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:45
S75	7	US-5590331-$.DID. OR US-5896522-$.DID. OR US-6292883-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:46
S76	4	("20020052727" "20020069402").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 14:57

EAST Search History

S77	2	US-6502237-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:36
S78	8	(fixed with hardware with interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 15:37
S79	7	jazelle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:26
S80	1234	lightfoot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:26
S81	16	S80 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:29
S82	21	(hardware with (byte$1code (byte adj code)) with execution) and (software adj interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:35
S83	9	("20020052727" | "20020069402" | "5590331" | "5875336" | "5896522" | "5898885" | "6026485" | "6279079" | "6292883").PN. OR ("6820252").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 16:35
S84	6	(fixed near2 mapping) and (programmable near2 mapping) and interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:29
S85	37	(fixed near2 mapping) and (programmable near2 mapping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 12:31

EAST Search History

S86	40	("3955180" | "3997895" | "4315321" | "4434462" | "4450519" | "4587612" | "4763255" | "4791558" | "4901233" | "4961141" | "5043870" | "5142681" | "5241679" | "5274831" | "5301198" | "5355460" | "5388235" | "5481684" | "5481693" | "5490256" | "5542059" | "5546552" | "5560013" | "5564031" | "5574927" | "5598560" | "5754830" | "5794049" | "5805895").PN. OR ("5875336").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 15:08
S87	34	(non$1native with hardware with interpreter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:21
S88	4	S87 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:21
S89	9	("20020052727" | "20020069402" | "5590331" | "5875336" | "5896522" | "5898885" | "6026485" | "6279079" | "6292883").PN. OR ("6820252").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 15:32
S90	1	"6279079".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 16:57
S91	26	(hardware near2 interpreter) and (software near2 interpreter) and native and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 17:11
S92	9	(hardware adj interpreter) and native and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 17:11
S93	65	hardware with bytecode with interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 17:21

S94	60	("4587612" | "4631663" | "4763255" | "4783738" | "4860191" | "4961141" | "5077657" | "5113522" | "5136696" | "5142681" | "5163139" | "5193180" | "5201056" | "5218711" | "5241636" | "5313614" | "5333296" | "5335344" | "5355460" | "5430862" | "5481684" | "5490256" | "5535329" | "5542059" | "5574927" | "5577233" | "5619666" | "5634118" | "5650948" | "5659703" | "5692170" | "5761477" | "5764908" | "5768593" | "5774868" | "5778178" | "5781750" | "5784584" | "5794068" | "5809336" | "5838165" | "5875336" | "5889996" | "5898850" | "5898885" | "5903761" | "5923892" | "5937193" | "5953741" | "5983334" | "5999731" | "6021469" | "6026485" | "6131144" | "6158048" | "6167488" | "6209077").PN. OR ("6332215").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/03 17:40
S95	2	"5937193".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 10:15
S96	19	("4873628" | "5692047" | "5740441").PN. OR ("5937193"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:46
S97	218	717/139.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:46
S98	25	S97 and (hardware with interpreter) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:49
S99	6	S97 and (java with processor) and (software with interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:50
S100	7	(java adj processor) and (software adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 12:06
S101	30	(java near2 processor) and (software adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 11:59
S102	7	(hardware adj interpreter) and (software adj interpreter)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 12:20

EAST Search History

S10 3	1	"5937193".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 13:02
S10 4	4	(map$4 near2 byte$1code$2) and ((mapping mapped) near2 programma$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:05
S10 5	46	(map$4 near2 byte$1code$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:05
S10 6	36	S105 and native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:05
S10 7	26	(byte$1code$2) near2 (mapping mapped unmapping unmapped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:06
S10 8	20	S107 and native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:19
S10 9	1	bytecode with vary$3 with (map$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:20
S11 0	1	bytecode same vary$3 with (map$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:20
S11 1	4	bytecode same vary$3 same (map$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:20

S11 2	128	different with programmable with (map$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:21
S11 3	5	S112 and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:21
S11 4	19	("4873628" | "5692047" | "5740441").PN. OR ("5937193"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 14:14
S11 5	36	(instruction with mapping) and (hardware with non$1native)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:46
S11 6	36	S115 and interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:48
S11 7	34	S115 and interpreter with hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:49
S11 8	1	S115 and interpreter near2 hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:50
S11 9	32	hardware adj interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:50
S12 0	2209	712/209,227,248.ccls. 703/26.ccls. 717/136-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:19

S12 1	8	S120 and ((hardware near2 (translator interpreter)) with (programmable writeable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:52
S12 2	69	("4587612" | "4631663" | "4763255" | "4783738" | "4860191" | "4961141" | "5077657" | "5113522" | "5136696" | "5142681" | "5163139" | "5193180" | "5201056" | "5218711" | "5241636" | "5313614" | "5333296" | "5335344" | "5355460" | "5430862" | "5481684" | "5490256" | "5535329" | "5542059" | "5574927" | "5577233" | "5619666" | "5634118" | "5650948" | "5659703" | "5692170" | "5761477" | "5764908" | "5768593" | "5774868" | "5778178" | "5781750" | "5784584" | "5794068" | "5809336" | "5838165" | "5875336" | "5889996" | "5898850" | "5898885" | "5903761" | "5923892" | "5937193" | "5953741" | "5983334" | "5999731" | "6021469" | "6026485" | "6131144" | "6158048" | "6167488" | "6209077").PN. OR ("6332215").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:17
S12 3	17	S122 and S120	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:19
S12 4	4	S123 and (hardware near2 (interpreter translator))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:47
S12 5	24	S120 and (java with accelerator)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:40
S12 6	7	S125 and (fixed with mapping)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:41
S12 7	14	S125 and (hardware near2 (interpreter translator))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:51
S12 8	10	S120 and java and (fixed with mapping)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 17:51

EAST Search History

S12 9	30	S120 and (hardware near2 (translator interpreter)) and (software near2 (translator interpreter)) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:53
S13 0	30	S120 and (hardware near2 (translator interpreter)) and (software near2 (translator interpreter)) and (java byte$1code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:11
S13 1	26	S130 not arm.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:07
S13 2	2	"6279079".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:08
S13 3	2	"5598546".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:12
S13 4	11	(programmable with mapping with (interpreter translator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 18:12